



ZPMV2.E216263 Wiring, Printed - Component

For enhanced search functionality, please visit UL's [iQ™ Family of Databases](#).

Click on a product designation for complete information.

[Page Bottom](#)

Wiring, Printed - Component

[See General Information for Wiring, Printed - Component](#)

DURI ELECTRONICS CO LTD

E216263

20, 77BEONGIL GAJUNG-RO SEO-GU

INCHEON, REPUBLIC OF KOREA

Type	Cond Width		Cond	SS/ DSO	Max		Max		Flame	Meets UL796 DSR	C T I
	Min	Min			Area	Solder	Oper				
	mm(in)	mm(in)	Thk	Diam	Limits	Temp	Class				
Metal Base Single Layer Printed Wiring Boards.											
5	0.13 (0.005)	0.39 (0.015)	12 (0.47)	SS	76.2 (3.0)	260	10	110	V-0	-	-
Multilayer printed wiring boards.											
2	0.08 (0.003)	0.08 (0.003)	17 (0.67)	DS	30.5 (1.2)	260	10	105	V-0	All	-
2A	0.08 (0.003)	0.08 (0.003)	17 (0.67) Int:68	DS	50.8 (2.0)	260	10	130	V-0	All	-
4	0.08 (0.003)	0.08 (0.003)	12 (0.47) Int:272	DS	30.0 (1.2)	260	10	130	V-0	All	*
Single layer printed wiring boards.											
1	0.08 (0.003)	0.08 (0.003)	17 (0.67)	DS	30.5 (1.2)	260	10	105	V-0	All	-
1A	0.10 (0.004)	0.10 (0.004)	34 (1.34)	DS	30 (1.2)	265	10	150	V-0	-	-
1B	0.08 (0.003)	0.08 (0.003)	17 (0.67)	DS	50.8 (2.0)	260	10	130	V-0	All	-
3	0.08 (0.003)	0.08 (0.003)	12 (0.47)	DS	30.0 (1.2)	260	10	130	V-0	All	*

* - CTI PLC is marked on individual board.

DR

Marking: Company name or trademark or file number and type designation. May be followed by a suffix to denote factory identification or burning test classification.

[Last Updated](#) on 2015-05-08

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

◆ 2016 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2016 UL LLC".